

Roger Tidball, Town Supervisor
Jennifer Howe, Town Clerk
Brandy Fall, Deputy Town Clerk
William Reed, Highway Superintendent



John D. Ganther, Council Member
Francis R. Potter, Council Member
Jeffrey Senecal, Council Member
William Wenzel, Council Member

Thursday August 26, 2021
Regular Town Board Meeting
Meeting Time: 7:00PM

Meeting called to order by Supervisor Tidball at 7:00PM

Present: Supervisor Tidball, Council Members Potter, Ganther, Senecal and Wenzel, Town Clerk Jen Howe, Town Attorney Terresa Bakner

Pledge of Allegiance

Prayer/Moment of Reflection offered by Pastor Solomon

Moment of Silence for Trooper Monda

Resolution 106-21: Council Member Potter motioned, seconded by Council Member Ganther to approve the Town Board Meeting minutes of Thursday, August 9, 2021.
Motion carried, 5 ayes

Resolution 107-21: Council Member Potter motioned, seconded by Council Member Ganther to pay the following claims:
Motion carried, 5 ayes

Vouchers to be Paid
August 23, 2021

General Fund:	\$18,265.23
Highway Fund:	\$30,538.63
SD#1 Fund:	\$3,784.15
SD#2 Fund:	\$5,828.25
SD#3 Fund:	\$469.84
Total To Be Paid:	\$60,506.96

Hwy: Working on the motor pave. Nothing else to report.

Parks: Council Member Wenzel reported that the disc golf course is installed and the gentleman that installed the course did leave a couple discs for people to try. They just ask that you put them back after you use them.

Sewer District #1, 2 & 3: Council Member Ganther met with Dale this morning. Construction is going good over at the pants. They are limited on doing more until the equipment comes in. We were hoping to do more I & I testing, but with all this rain they are unable to get down there with the camera. Bill Brown with Delaware reported that the building is up at the Delanson plant/ UV unit was installed last week. More equipment coming in and getting installed. Then the electrician will come out and wire everything up. Then it is on to programming them.

Technology: Council Member Ganther reported that he sent a request to Omnis for budgeting on equipment. We are looking to get an inexpensive laptop to do PowerPoint on for the Planning Board meetings. We have some good news, Creek Rd. is finally getting broadband.

Solar: Supervisor Tidball reported that we are trying to do the best by the town and the residents. We as a town board asked the Planning Board that when these proposals are in front of the board

we go through them with a fine tooth comb. Prime AE is doing a really good job, but we would really like to bring on another consultant as a second opinion. Because of all the changes that have been proposed we have some safety concerns as well as many residents in the town have safety concerns. We did reach out to Larry O'Conner who has an extensive engineering background for a proposal and Dale reached out to a resident who will also be putting a proposal together. Larry spoke on his credentials and some laws he feels need to be enforced by Dale. He would like to review our use of Chapter 17 and stated that the focus should be on building code and special inspections. Town Attorney Terresa Bakner stated that NYSERDA will be sending a representative to the workshop to help answer questions, etc. She also stated that she sent a few names to Dale that are additional electrical engineers with experience in battery energy storage. There was also a name from an institute that is manned by a New York City firefighter who has retired and now deals with firefighting safety associated with these types of installation.

Supervisor Tidball stated that the town board would like to go about doing a moratorium on future solar and battery storage units. They will introduce the Local Law at the next meeting and then schedule the public hearing for the 2nd meeting in September.

Council Member Ganther stated that this experience with this solar farm has brought more to light. He believes that maybe there should be changes to the solar law again, a battery storage law, etc. He stated that it makes sense to put the brakes on any future projects before we let them start.

Supervisor Tidball stated that he agrees with John that you need to learn more before you can allow more, learn from start to finish before they allow a second one to come through. Especially any with battery storage units, since this is new to them. Town Attorney Terresa Bakner stated that in her opinion it would be good to look at if you can require battery energy storage to be at the site of the utilities sub station rather than in a field in the middle of nowhere. Council Member Ganther let everyone know about the workshop on Thursday September 9, 2021 from 5pm – 7pm at Town Hall. They will be going over all the recommendations and changes that Prime identified and NYSERDA will also be there.

Other: Supervisor Tidball stated that a resident had inquired about the clean up of the house on Darby Hill that burnt down. We went through a lot of work to get that done, is being held up by the state. The air sample guy is waiting on a special permit from one of the state agencies. Town Attorney Terresa Bakner stated that it went in for a variance from the Department of Labor that is a commonly requested one, especially with asbestos. So they are just waiting on that and once we have that, they can get in there and get that cleaned up.

Council Member Ganther spoke about a meeting he had with CT Male, Council Member Wenzel and Dale regarding a small expansion at the back of the building. (See the attached). The next step would be to get more information on the ARPA funds and what they can be used for. He is going to setup a meeting with Judge Wren on what grant money we can get from the state court funding. Council Member Wenzel stated that they would add a split system to provide some heat, air purity

and air conditioning. He stated we should replace the roof on the main part of Town Hall with a metal roof with ice rakes. They would also like to work on the ramp out front to make it comply with ADA regulations. It would also include proper cooling and ventilation for the computer system upstairs.

Business Meeting:

Resolution 108-21: Council Member Potter motioned, seconded by Council Member Ganther to approve payment to Delaware Engineering in the amount of \$23,210.55.

Motion carried, 5 ayes

Resolution 109-21: Council Member Wenzel motioned, seconded by Council Member Senecal to approve payment to MCJ in the amount of \$291,481.85.

Motion carried, 5 ayes

Resolution 110-21: Council Member Senecal motioned, seconded by Council Member Potter to approve the town board supporting the County's plan for counsel at initial appearance coverage for arraignments in local courts.

Motion carried, 5 ayes

Privilege of the Floor: Opened at 7:53 p.m.

Susan Biggs read a statement (see attached).

Lynne Bruning read a statement (please see attached).

Floor Closed: 8:03 p.m.

Supervisor Tidball motioned, seconded by Council Member Senecaladd to adjourn the meeting.


Motion carried, 5 ayes

I, Jen Howe, Town Clerk of the Town of Duanesburg, so hereby certify that this is a true and accurate transcript of the Regular Town Board Meeting held on Thursday August 26, 2021, at the Duanesburg Town Hall, 5853 Western Turnpike, Duanesburg, New York 12056.

DRAFT

August 26, 2021

PRELIMINARY DESIGN NARRATIVE



**Town of Duanesburg
Addition & Renovations
Existing Town Hall Facility**

5853 Western Turnpike
Duanesburg, New York

Prepared for:

Town Board
TOWN OF DUANESBURG
5853 Western Turnpike
Duanesburg, NY 12056

Prepared by:

C.T. MALE ASSOCIATES
50 Century Hill Drive
Latham, New York 12110
(518) 786-7400
FAX (518) 786-7299

C.T. Male Associates Project No: 21.1374

**TOWN OF DUANESBURG
ADDITION & RENOVATIONS - EXISTING TOWN HALL**

ADDITIONAL INFORMATION

TABLE OF CONTENTS

	<u>Page</u>
1.0 SITE CIVIL AND GEOTECHNICAL	1
1.1 Existing Conditions	1
1.2 Description of New Work	1
2.0 STRUCTURAL SYSTEMS	1
2.1 Foundations	1
2.2 Superstructure	2
2.3 Site Structures	Error! Bookmark not defined.
3.0 PLUMBING	2
3.1 Domestic Water System:	2
3.2 Preliminary Plumbing Fixtures and Equipment:	2
3.3 Specialty System	3
3.4 Automatic Fire Suppression System	3
4.0 MECHANICAL	3
4.1 Design Conditions:	3
4.2 HVAC Scope of Work:	3
5.0 ELECTRICAL	5
5.1 Main Electrical Service	5
5.2 Power Distribution System	6
5.3 Lighting Systems	6
5.4 Life Safety, IT/Data and Security System	6
APPENDIX A - CONCEPTUAL SITE PLAN SK-1.....	Error! Bookmark not defined.
APPENDIX B - Order of Magnitude OPINION OF PROBABLE COST	8

1.0 SITE ENGINEERING

1.1 Existing Conditions

- A. Existing conditions are limited to the original property site plan developed as part of the original town hall construction work, dated February 1, 1967.
- B. Existing public utilities available are limited to electrical and telecom/ data.
- C. Existing water is provided via a shared well with the Town Highway department. The town has indicated the well is likely not adequate for continued use.
- D. Existing sanitary lines lead to a recently upgraded septic field to the south of the town hall. Upgrades were performed by the Public Works Department. No information on size and level of improvements have been provided at this time.

1.2 Description of New Work

- A. Limited excavation at new addition and renovations to the existing first floor entrance ramp/stair assembly.
 - a. Existing construction documents have no significant geotechnical information. Pending Review by structural/geotechnical engineer.
- B. Parking by Town.
- C. Limited re-grading to be performed within 5 feet of new work.
- D. Stormwater Management to be determined.–
- E. Hardscape limited to exterior entrance landings and stretch of sidewalks to existing parking area.
- F. Well Water (domestic) – Need to discuss new well and what scope CTM to include.
- G. Sanitary (domestic) – Tie in to existing septic with new sanitary system limited in nature. Existing septic system to remain undisturbed. Pending review of existing documents.
- H. Site Electrical – discussed under the Electrical Narrative.
- I. SWPPP – not required (less than 1.0 acre).

2.0 STRUCTURAL SYSTEMS

2.1 Foundations

- A. Narrative is based on common design practices and assumed adequacy of existing site/soil bearing capacity.

- B. 12" thick cast-in-place reinforced concrete foundation walls on 2'-0" wide continuous concrete footings at all four sides. Foundation walls and footings to align with depth of existing foundation.
 - a. Preliminary design approach to include piers spaced along face of existing foundation to carry proposed addition roof loads rather than rely on existing walls to carry new loads. TBD based on structural review.
- C. 4-5" thick reinforced concrete slab on grade with #4 rebar at 12" O.C. spacing.
- D. Cast in place, reinforced concrete stair, ramp and landing at existing first floor entrance to support accessibility compliance to upper floor.
 - a. New concrete piers and foundation at existing roof canopy columns. Columns to be cut back to a height above existing grade to protect wood from winter conditions.
 - b.
- E. Additional frost-protected apron pads at main entrance and exterior door landings.
- F. Additional equipment pads at proposed mechanical equipment.
- G. New and/or relocation of existing light posts including new concrete bases. TBD whether by Town or part of contract.
 - a. Subject to new parking extents, light posts to be provided with impact resistant bases, or bollards.

2.2 Wall and Roof Structures

- A. Walls to be similar to existing cavity wall assembly utilizing 6"-8" CMU block walls to carry roof loads.
 - a. Masonry reinforcement as required based on loading and best practices.
 - b. Steel lintels at proposed door and window headers.
- B. Roof framing to be 2x6 or 2x8 framing spaces as required to carry proposed roof loads.
 - a. Semi-decorative post/beam assembly at entrance canopy.
- C. Interior Walls constructed of reinforced 6" CMU masonry block.

3.0 PLUMBING

3.1 Existing Conditions:

- A. Hot water is provided by a low-boy, tank-type, electric water heater located in the lower-level mechanical room.

- B. The existing hot water heater is 4500-watts at 240-volts, single-phase.
- C. The existing water service appears to be a 3/4 -inch feed from an onsite well.
 - a. The water supply is small for the existing use.
- D. The location of the well could not be identified but is suspected to be at the adjacent highway garage.
- E. Sanitary is directed from the building to a septic tank located approximately 25-feet to the south of the existing building.
- F. Waste, drain, and vent piping is a combination of copper and iron pipe.

3.2 Preliminary Plumbing Fixtures and Equipment:

- A. Upgraded water service should be considered to support the proposed building. The proposed building should include at least a 1-inch service.
- B. New plumbing fixtures shall be high-efficiency low-flow type.
- C. Flush systems shall be tank type to accommodate small water service volumes.
- D. Drain, waste, and vent piping shall be renovated to accommodate proposed floorplan.
- E. All DWV piping shall drain by gravity to the existing septic system.
- F. The existing, electric, tank-type water-heater shall be reused.
- G. Cold and Hot water distribution shall be revised to accommodate the proposed floorplan.

3.3 Automatic Fire Suppression System

- A. Not Required.

4.0 MECHANICAL

4.1 Existing Conditions:

- A. Heating by hydronic baseboard system around perimeter of existing building footprint.
- B. Hydronic heating system is zone into four heating zones (thermostats).
- C. Heating hot water is produced by one, oil-fired, hot-water boiler. Existing capacity of 143MBH (Net IBR).
- D. Heating boiler is 20 years old (circa 2001), is in good condition, has about 5-10 years of remaining useful life.

- E. Heating system distribution piping is in good condition.
- F. Heat distribution is by copper pipe with fin tube baseboard heating elements.
- G. HVAC control is by programmable, electro-mechanical thermostats.
- H. Cooling is by portable window air conditioning units.
- I. Ventilation is by operable windows.

4.2 Proposed Work Scope:

- A. Provide ground mounted packaged heat-pump adjacent to the building.
 - a. The packaged unit will supply cooling, ventilation, and swing season heating.
 - b. Packaged unit will be sized to service the cooling load for the existing building footprint along with the proposed addition. Expected capacity of 10 nominal tons of cooling.
 - c. The packaged unit will provide fresh mechanical ventilation to the occupied zones.
 - d. Mechanical ventilation will be provided at a rate exceeding code requirements to enhance Indoor Air Quality in the occupied spaces.
 - e. The packaged unit will be sized to accommodate high-performance air filtration of MERV-13 or better to enhance IAQ or recirculated air.
 - f. The packaged unit will include electric resistance heat sufficient to "temper" the ventilation air under peak heating load conditions.
 - g. The packaged unit will include economizer option, humidity control option, and energy-recovery option. Energy recovery will allow increased ventilation for better indoor air quality.
- B. Peak and supplemental heating shall be by hydronic fin-tube.
 - a. Fin-tube elements and piping in the existing footprint will be replaced to accommodate the revised floor plan.
 - b. Fin-tube elements and piping will be extended into the proposed addition.
- C. A second (new) oil-fired heating boiler will be added to manage the additional heating load of the proposed addition. Expected Net IBR of 120-MBH.
 - a. The existing boiler will remain in service. Or be replaced at the end of service life.
 - b. The new boiler will be sized for 2/3 of the total building peak heat load and operate lead-lag with the existing boiler.
 - c. Hydronic heating will operate as second stage heating.

- D. Zone temperature control shall be by programmable, electro-mechanical, heat-pump thermostats.
- E. The system will be designed for at least six thermal zones. Three upper-level and three lower level.
- F. A wall or ceiling type split system air conditioning unit will be provided to offset people load in the court-room. This unit will be cooling only.
- G. The existing 275-gallon heating oil storage tank shall be reused and relocated to accommodate the proposed floorplan.

4.3 General HVAC Concept Considerations

- A. The proposed systems are included to upgrade the indoor air quality while maintaining good overall building energy performance. Based on the current environment it is prudent to improve ventilation, filtration, and to control humidity. The proposed system aims to maximize the HVAC system to provide enhanced indoor air quality. To that end:
 - a. Ventilation (fresh air) shall be better than code with a goal of 1.8 air changes per hour.
 - b. Filtration shall be designed to achieve a MERV-13 or better level of performance using a combination of filters and cleaners for all air recirculated by the HVAC system.
 - c. Space air distribution sufficient to provide good air mixing within the occupied zone.

5.0 ELECTRICAL

5.1 Existing Electrical Service

- A. The existing 240/120-volt, 200-amp, single phase electrical service is fed to the Town Hall's east wall from a National Grid street pole.
- B. The building's meter is located at the rear (south side of building) near the Court Room's single rear entrance. This meter then feeds into the Service Disconnect located on the inside wall at the rear of the Court Room and is located adjacent to the building's telecommunications equipment.
- C. The Service Disconnect feeds the main building electrical panel (newly designated PP-2 in this report) located in the second level main hallway and a small sub-panel directly above the Service Disconnect that supplies power to building exit signs and exterior lighting.

5.2 Proposed Power Distribution

- A. Electrical design to be in accordance with National Electric Code (NEC - NFPA70 (2017)), NYSBC (2020) and 2020 ECCNYS.
- B. New Addition to be equipped with computer receptacles and convenience receptacles.
- C. Disconnects provided throughout as required for specialty outlets, HVAC and other dedicated circuits.
- D. The building's electrical meter will be replaced in kind and moved to the new addition's exterior east side wall.
- E. A new NEMA 3R Fused Service Rated Disconnect will be installed directly adjacent to the new Service Meter.
- F. The new Service Disconnect will feed a new 240/120-volt, 100-amp, 24 circuit panel with a 100-amp main circuit breaker (MCB) to be designated PP-1 and located in the new electrical closet located on the east side of the Entry Vestibule.
 - a. The loads currently being fed by an existing small sub-panel above the existing Service Disconnect are to be moved to PP-1.
 - b. PP-1 will also be used for any new mechanical equipment loads, including but not limited to the new HVAC equipment.
- G. The existing 100-amp electrical panel, to be designated PP-2, which is currently fed from the existing Service Disconnect will be fed from the new Service Disconnect.

5.3 Lighting Systems

- A. Existing interior lighting is to be replaced in kind with 2x4 recessed, and 1x4 surface mounted, high efficiency LED equivalent fixtures.
- B. New fixtures are to be connected to new occupancy sensors to comply with the NY Energy Conservation Constriction Code (NYSECCC).
 - a. Cost savings alternate can be achieved by having the fluorescent fixtures remain in place with only the (assumed) T8 bulbs being replaced by LED T8 equivalent bulbs.
- C. Additional high efficiency LED exterior lighting fixtures along the rear wall will be added to provide additional parking lot lighting. This lighting will be fed from panel PP-1.
 - a. This lighting will be connected to a new photo sensor installed on the south wall of the building and connected to the existing exterior lighting.

5.4 Life Safety, IT/Data and Security System

C.T. MALE ASSOCIATES

- A. Communications and telecom circuits that are currently mounted to the south wall of the Court Room are to be relocated to the new electrical closet on the east wall of the Entry Vestibule. Changes and additional capacity to be coordinated with the local service provider to the Towns systems.

APPENDIX A - ORDER OF MAGNITUDE OPINION OF PROBABLE COST


TOWN OF DUANESBURG

TOWN HALL - ADDITION AND RENOVATION

FOR

TOWN OF DUANESBURG

DRAFT SUBMISSION
AUGUST 26, 2021



DRAWING LIST

SHEET NO.	SHEET TITLE
01-001	GENERAL SHEET
EXISTING CONDITIONS	
01-001	EXISTING EXTERIOR PLAN
01-002	EXISTING EXTERIOR PLAN
ARCHITECTURE	
01-001	BATHROOM RENOVATION PLAN
01-002	MEET ROOM RENOVATION PLAN
01-003	RECEPTION ELECTRICITY
01-004	RECEPTION PLUMBING
01-005	RECEPTION MECHANICAL
01-006	RECEPTION ELEVATIONS

© 2021

THIS DOCUMENT IS THE PROPERTY OF C.T. MALE ASSOCIATES. IT IS TO BE USED ONLY FOR THE PROJECT AND SITE SPECIFICALLY IDENTIFIED HEREON. IT IS NOT TO BE REPRODUCED, COPIED, OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, INCLUDING PHOTOCOPYING, RECORDING, OR BY ANY INFORMATION STORAGE AND RETRIEVAL SYSTEM, WITHOUT THE WRITTEN PERMISSION OF C.T. MALE ASSOCIATES. ANY UNAUTHORIZED USE OF THIS DOCUMENT IS PROHIBITED AND WILL BE SUBJECT TO LEGAL ACTION. THE USER OF THIS DOCUMENT AGREES TO HOLD C.T. MALE ASSOCIATES HARMLESS FROM ANY AND ALL CLAIMS, DAMAGES, LOSSES, AND EXPENSES, INCLUDING ATTORNEY'S FEES, THAT MAY BE ASSERTED AGAINST OR INCURRED BY C.T. MALE ASSOCIATES AS A RESULT OF SUCH UNAUTHORIZED USE.



C.T. MALE ASSOCIATES

Engineering, Surveying, Architecture, Landscape Architecture & Geology, D.P.C.

50 CENTURY HILL DRIVE, LATHAM, NY 12110 PH: 518.786.7400
COBLESKILL, NY • GLENS FALLS, NY • POUGHKEEPSIE, NY
JOHNSTOWN, NY • RED HOOK, NY • SYRACUSE, NY




www.ctmale.com



DRAFT SUBMISSION




[illegible]




1 FIRST FLOOR PLAN - DEMOLITION
SCALE: 1/4" = 1'-0"



DESIGNED BY RICHARD H. LORAN R.A. NO. 024180	DATE 05/11/00	REVISION RECORD (DATE/DESCRIPTION)	DRAWN BY C.H. HARRIS
			CHECKED BY C.H. HARRIS
			PROJECT NO. 124
			SCALE 1/4" = 1'-0"
			DATE 05/11/00

[illegible]




FIRST FLOOR PLAN - NEW
SCALE: 1/4" = 1'-0"




DRAFT SUBMISSION

NICKLAS H. LOOSEGO L.A. NO. 05410		DATE: 10/21	REVISION: RECORDED PERM	ISSUED BY:
PROJECT: TOWN HALL - ADDITION AND RENOVATIONS		SHEET NO. 102		
DESIGNED BY: C.T. MALE ASSOCIATES		CHECKED BY: C.T. MALE ASSOCIATES		
PROJECT NO. 121.1234		SCALE: 1/4" = 1'-0"		
DATE: AUGUST 28, 2022		TOWN OF DANIELSBURG SCHENECTADY COUNTY, NEW YORK STATE		
C.T. MALE ASSOCIATES Engineers, Architects, Landscape Architects & Planners, P.C. 24 CORTLANDT HILL DRIVE, URBANA, NY 12158 (908) 848-7800 CORSEWELL, NY 12024 (518) 486-7800 JOHNSTOWN, NY 12094 (518) 786-7800		A-102 SHEET 102 OF 102		



② SOUTH ELEVATION - NEW
3/18" x 1'-0"



④ EAST ELEVATION - NEW
3/4" = 1'-0"

RUSSIAN 11, 2000000 L.A. NO. 92190	DATE: 10-1	FOREIGN RECORDS SECTION	1950-60
			(U.S. DEPT. OF JUSTICE) (FBI)
			10-1-60
			10-1-60
			10-1-60
			10-1-60
			10-1-60
			10-1-60
			10-1-60
			10-1-60
			10-1-60
			10-1-60
			10-1-60
			10-1-60
			10-1-60
			10-1-60
			10-1-60
			10-1-60
			10-1-60
			10-1-60
			10-1-60
			10-1-60
			10-1-60
			10-1-60
			10-1-60
			10-1-60
			10-1-60
			10-1-60
			10-1-60
			10-1-60

Town of Duanesburg Town Board

RESOLUTION NO. __ - 2021

August 26, 2021

WHEREAS, the Town of Duanesburg Town Board has established Duanesburg Sewer Districts Nos. 1 and 3;

WHEREAS, the Delanson Wastewater Treatment Plant (the "Delanson WWTP") serves Duanesburg Sewer Districts Nos. 1 and 3;

WHEREAS, the Town Board retained Delaware Engineering, D.P.C., ("Delaware") for professional services in connection with Long Term Improvements Project at the Delanson WWTP (the "Project"); and

WHEREAS, Delaware has submitted an invoice, dated August 17, 2021, for Town Board review in the amount of **\$23,210.55** for professional services provided during July and August 2021 ("Professional Services Invoice No. 17"); and

NOW, THEREFORE, BE IT RESOLVED, the Town Board approves Professional Services Invoice No. 17 and authorizes the Town Supervisor to submit the documentation to New York State Environmental Facilities Corporation to obtain the funds to pay the invoice and upon receipt of such funds authorizes payment to Delaware in the amount of **\$23,210.55**.

By (unanimous/majority) vote of the Town Board of the Town of Duanesburg at its regular meeting of August 26, 2021.

Roger Tidball, Supervisor

Town Clerk/Deputy Town Clerk

Date

Date

8/26/21

Present: ALL

Absent:

Town Board Members:

Roger Tidball	<u>Yea</u>	Nay	Abstain
John Ganther	<u>Yea</u>	Nay	Abstain
Rick Potter	<u>Yea</u>	Nay	Abstain
William Wenzel	<u>Yea</u>	Nay	Abstain
Jeff Senecal	<u>Yea</u>	Nay	Abstain



DELAWARE ENGINEERING, D.P.C.

55 South Main Street
Oneonta, NY 13820

Tel: 607.432.8073
Fax: 607.432.0432

August 17, 2021

Town of Duanesburg
Attn.: Roger Tidball, Town Supervisor
Town Hall
5853 Western Turnpike
Duanesburg, NY 12056

Re: Delanson WWTP (SD#1 & SD#3)
Long Term Improvements Project - Professional Services Invoice #17

Dear Roger:

Attached for Town review, processing and payment is our invoice totaling \$23,210.55 for services related to the above referenced project.

Services provided during July 2021 include:

- Continued communications with Town and regulatory agencies
- Review contractor's payment requests
- Travel to site to review project status with Town and contractors
- NYSEFC compliance documentation
- Onsite construction inspection

Services anticipated to be provided during August 2021 include:

- Continued communications with Town and regulatory agencies
- Review contractor's payment requests
- Travel to site to review project status with Town and contractors
- SCADA equipment submittal review
- Onsite construction inspection

Please contact me at 607-432-8073 if you have any questions.

Respectfully,

DELAWARE ENGINEERING, D.P.C.

Bill Brown, P.E. for
Dave Ohman, P.E.

Attachment

CC: Cheryl DeCarr, Delaware Engineering, D.P.C. (w/enclosures)

08-2021 Duanesburg (T) Delanson WWTP Long Term Improvements CL 17



Delaware Engineering, D.P.C.

28 Madison Ave. Ext.

Albany, NY 12203

(518) 452-1290

Town of Duanesburg
Town Hall
5853 Western Turnpike
Duanesburg, NY 12056

Invoice number 19-1712-17

Date 08/10/2021

Project 19-1712 Town of Duanesburg - Delanson
WWTP Long Term Improvements

For Services Rendered Through August 01, 2021

3 Construction Management/Admin

	Units	Rate	Billed Amount
Ablen Amrod	9.00	200.00	1,800.00
Eric Michelitsch	10.50	110.00	1,155.00
Michael Primmer	2.25	165.00	371.25
William J. Brown	25.00	155.00	3,875.00
subtotal	46.75		7,201.25

REIMBURSABLES

Mileage - Oneonta 2021

Units	Rate	Billed Amount
120.00	0.56	67.20

CONSULTANT

ATLANTIC TESTING LAB

Units	Rate	Billed Amount
		1,243.00
Phase subtotal		8,511.45

4 Construction Inspection

Tucker Lewis

Units	Rate	Billed Amount
99.50	125.00	12,437.50

REIMBURSABLES

Tucker Lewis

Mileage - Albany 2021

Units	Rate	Billed Amount
1,360.00	0.56	761.60
Phase subtotal		13,199.10

6A NYSEFC Contract Coordination (SUB-Deroo Consulting)

CONSULTANT

Deroo Consulting

Units	Rate	Billed Amount
		1,500.00

Invoice total 23,210.55



Delaware Engineering, D.P.C.

28 Madison Ave. Ext.

Albany, NY 12203

(518) 452-1290

Town of Duaneburg

Project 19-1712 Town of Duaneburg - Delanson WWTP Long Term Improvements

Invoice number

19-1712-17

Date

08/10/2021

Approved by:

William J. Brown

Please remit payment to:
Delaware Engineering, D.P.C.
28 Madison Ave. Ext.
Albany, NY 12203

DELAWARE ENGINEERING, D.P.C.

55 South Main Street, Oneonta, New York 13820 Phone 607-432-8073/FAX 607-432-0482

Town of Duanesburg
Town Hall
5853 Western Turnpike
Duanesburg, NY 12056

PROJECT ID 19-1712

PROJECT: Delanson WWTP Long Term Improvements
INVOICE/REQUISITION No.: 17

	CURRENT COST	PREVIOUS COST	COST TO DATE	BUDGET
1. Task 1 - Design				
Labor	\$ -	\$ 54,532.50	\$ 54,532.50	\$ 55,300.00
Reimbursable Expenses	\$ -	\$ 767.19	\$ 767.19	
Subcontractors (Atlantic Testing Laboratories)	\$ -	\$ 8,700.00	\$ 8,700.00	\$ 8,700.00
Subcontractors (Ryan Biggs Clark Davis Eng & Surveying)	\$ -	\$ 25,000.00	\$ 25,000.00	\$ 25,000.00
Subcontractors (Whitman Engineering)	\$ -	\$ 10,000.00	\$ 10,000.00	\$ 11,000.00
SUBTOTAL - TASK 1	\$ -	\$ 98,999.69	\$ 98,999.69	\$ 100,000.00
2. Task 2 - Bid/Award				
Labor	\$ -	\$ 7,496.25	\$ 7,496.25	
Reimbursable Expenses	\$ -	\$ -	\$ -	
SUBTOTAL - TASK 2	\$ -	\$ 7,496.25	\$ 7,496.25	\$ 7,500.00
3. Task 3 - Construction Management/Admin				
Labor	\$ 7,201.25	\$ 26,572.50	\$ 33,773.75	
Reimbursable Expenses	\$ 67.20	\$ 436.80	\$ 504.00	
Subcontractors (Atlantic Testing Laboratories)	\$ 1,243.00	\$ -	\$ 1,243.00	
SUBTOTAL - TASK 3	\$ 8,511.45	\$ 27,009.30	\$ 35,520.75	\$ 50,000.00
4. Task 4 - Construction Inspection				
Labor	\$ 12,437.50	\$ 42,395.00	\$ 54,832.50	
Reimbursable Expenses	\$ 761.60	\$ 1,533.28	\$ 2,294.88	
SUBTOTAL - TASK 4	\$ 13,199.10	\$ 43,928.28	\$ 57,127.38	\$ 74,000.00
5. Task 5 - As Built Drawing Preparation				
Labor	\$ -	\$ -	\$ -	\$ 500.00
Reimbursable Expenses	\$ -	\$ -	\$ -	
Subcontractors (Synergetic Solutions, LLC)	\$ -	\$ -	\$ -	\$ 3,000.00
SUBTOTAL - TASK 5	\$ -	\$ -	\$ -	\$ 3,500.00

DELAWARE ENGINEERING, D.P.C.

55 South Main Street, Oneonta, New York 18820 Phone 607-432-8073/FAX 607-432-0432

	CURRENT COST	PREVIOUS COST	COST TO DATE	BUDGET
6. Task 6 - NYSEFC Contract Coordination				
Labor	\$ -	\$ 4,998.75	\$ 4,998.75	\$ 5,000.00
Reimbursable Expenses	\$ -	\$ -	\$ -	
Subcontractors (Deroo Consulting)	\$ 1,500.00	\$ 4,301.43	\$ 5,801.43	\$ 10,000.00
SUBTOTAL - TASK 6	\$ 1,500.00	\$ 9,300.18	\$ 10,800.18	\$ 15,000.00
7. Task 7 - Preliminary Engineering				
Labor	\$ -	\$ 70,894.70	\$ 70,894.70	\$ -
Reimbursable Expenses	\$ -	\$ -	\$ -	
SUBTOTAL - TASK 7	\$ -	\$ 70,894.70	\$ 70,894.70	\$ 70,894.70
TOTAL	\$ 23,210.55	\$ 257,628.40	\$ 280,838.95	\$ 320,894.70
AMOUNT DUE FOR CURRENT SERVICES	\$ 23,210.55			
AMOUNT PAST DUE	\$ 32,781.40	Invoice #16, 7/9/2021		
TOTAL NOW DUE	\$ 55,991.95			
BUDGET BALANCE	\$ 40,055.75			

THIS STATEMENT REFLECTS PAYMENTS RECEIVED ON OR BEFORE BILLING DATE



ATLANTIC TESTING LABORATORIES

Remit To: 6431 US Highway 11
Canton, New York 13617
Phone: 315-386-4578

Inquiries To: 22 Corporate Drive
Clifton Park, New York 12065
Phone: 518-383-9144

WBE certified company

June 30, 2021

Accounts Payable
Delaware Engineering, D.P.C.
28 Madison Ave. Extension
Albany, NY 12203

Client Information

Contact: Bill Brown
Telephone: 607-432-8073

#19-1712

#3

RECEIVED

JUL 09 2021

REQUEST FOR PAYMENT

DELAWARE ENGINEERING

Construction Materials Engineering and Testing Services
Duaneburg Waste Water Treatment Plant
Delanson, New York
ATL Project No. AT3479
ATL Contract No. AT998-1081-05-21

Service dates: May 31, 2021 through June 27, 2021

Service	Quantity	Unit Fee	Amount
Atlantic Testing Laboratories			
Technical Personnel - CMET			
Project Manager	2	\$99.00 / Hour	\$198.00
Concrete Field Testing Technician	1	\$240.00 / Half Day	\$240.00
Concrete Field Testing Technician	1	\$360.00 / Day	\$360.00
Laboratory Testing - CMET			
Concrete and Aggregate - ASTM C 39: Compressive Strength Test or Hold Cylinder (fabricated by ATL)	9	\$15.00 / Cylinder	\$135.00
Miscellaneous - CMET			
Sample Pickup - When no other services are performed	1	\$120.00 / Trip	\$120.00
Travel - Includes Labor and Mileage	2	\$95.00 / Trip	\$190.00
TOTAL			\$1,243.00

An Itemized Schedule of Services is attached for your reference.

Invoice Summary

Previously Invoiced: \$0.00
Current Invoice: \$1,243.00
Total Invoiced to Date: \$1,243.00

Invoice No. 234173

Accounts are due when rendered. Accounts 10 days and over are subject to a SERVICE CHARGE, which is computed by a PERIODIC RATE of 1.5% per month or an ANNUAL RATE of 18%. If written response is not received within 10 days of Invoice, the Invoice will be considered correct. Terms Net - Upon Receipt of Invoice.

Itemized Schedule of Services for Invoice No. 234173
 Duaneburg Waste Water Treatment Plant
 Delaware Engineering, D.P.C.
 ATL Project No. AT3479
 June 30, 2021

Date	Concrete Field Testing Technician		ASTM C 39 (fabricated by ATL)	Sample Pickup	Travel
	Day	Half Day			
06/10/2021	1		4		1
06/11/2021				1	
06/25/2021		1	5		1
Totals:	1	1	9	1	2

Deroo Consulting

Fiscal Assistance

13 McKinley Drive
Delmar, New York 12054
(616) 886-5678
derooconsulting@gmail.com

INVOICE

INVOICE NO: 55
DATE: August 2, 2021

Delaware Engineering, DPC

55 South Main Street
Oneonta, NY 13820
607-432-8073
607-432-0432 FAX

T/Duanesburg - Delaware, #19-1712 #6A

DESCRIPTION	UNIT PRICE	AMOUNT
Town of Duanesburg WWTP Project C4-5469-06-00		\$1500.00
Total Hours: 15 hours in July 2021	\$75 per hour	\$ 1500.00
- MWBE Monthly reports: compilation and submission - Quarterly Reporting - MWBE compliance - Follow up on Document Collection		
		\$ 0.00
Mileage (round trip):	\$0.56 per mile	\$0.00
Postage	as per receipt	\$ 0.00
Supplies and copies (see receipts)		\$ 0.00

Make all checks payable to: Leslie Deroo

If you have questions concerning this invoice, call: Leslie Deroo, (616) 886-5678

THANK YOU FOR YOUR BUSINESS

Town of Duanesburg Town Board

RESOLUTION NO. __ - 2021

August 26, 2021

WHEREAS, the Town of Duanesburg Town Board has established Duanesburg Sewer Districts Nos. 1 and 3;

WHEREAS, the Delanson Wastewater Treatment Plant (the "Delanson WWTP") serves Duanesburg Sewer Districts Nos. 1 and 3;

WHEREAS, the Town Board retained MCJ Construction for contractor services in connection with Long Term Improvements Project at the Delanson WWTP (the "Project"); and

WHEREAS, MCJ Construction has submitted an invoice, dated August 19, 2021, for Town Board review in the amount of **\$291,481.85** for services provided for the period ending August 17, 2021 ("Contractor Invoice No. 4").

NOW, THEREFORE, BE IT RESOLVED, the Town Board approves Contractor Invoice No. 4 and authorizes the Town Supervisor to submit the documentation to New York State Environmental Facilities Corporation to obtain the funds to pay the invoice and upon receipt of such funds authorizes payment to MCJ Construction in the amount of **\$291,481.85**.

By (unanimous/majority) vote of the Town Board of the Town of Duanesburg at its regular meeting of August 26, 2021.

Roger Tidball, Supervisor

Date

Present: **ALL**
Absent:

Town Clerk/Deputy Town Clerk

Date

8/26/21

Town Board Members:

Roger Tidball	☒ Yea	☐ Nay	☐ Abstain
John Ganther	☒ Yea	☐ Nay	☐ Abstain
Rick Potter	☒ Yea	☐ Nay	☐ Abstain
William Wenzel	☒ Yea	☐ Nay	☐ Abstain
Jeff Senecal	☒ Yea	☐ Nay	☐ Abstain



Delaware Engineering, D.P.C.

55 South Main Street
Oneonta, NY 13820

Tel: 607.432.8073
Fax: 607.432.0432

August 19, 2021

Roger Tidball
Supervisor
Town of Duanesburg
5853 Western Turnpike
Duanesburg, NY 12056

Re: Delanson WWTP Long Term Improvements (SD#1 & #3)
SRF 5469-06

Sub: Contract TD1-G-20
Payment Request #4

Dear Supervisor Tidball:

We have reviewed the attached Payment Application No. 4 for MCJ Construction, the contractor for the subject project, for the period ending August 17, 2021 in the amount of **\$291,481.85**. The balance to finish including retainage equals **\$452,535.65**.

We agree with the level of work completed to date and the costs presented therein. Therefore, we recommend that the Town resolve to provide payment to the contractor in the amount requested by the contractor.

Attached for your files are the following items:

- Contractor's Application for Payment Cover Sheet & Continuation Sheets
- Certified Payroll
- Engineer's spreadsheet verifying contractor's payment application

Please contact me if you have any questions.

Respectfully,

DELAWARE ENGINEERING, D.P.C.

Bill Brown, P.E.

P:\Duanesburg (T)\SD1\Long Term Improvements\Construction\pay apps\General\#4\TD1-G-20 Pay App 4 CL.doc

CC: Town Clerk (w/enclosures)
TD1-G-20- File (w/enclosures)

Other New York Offices:

Albany · Goshen · Liberty · Monticello · Red Hook · Walton
www.delawareengineering.com

APPLICATION AND CERTIFICATION FOR PAYMENT

TO OWNER: Town of Danesbury PROJECT: Danesbury W.W.P. Long Term Improvements AIA DOCUMENT G702 PAGE ONE OF TWO PAGES, Distribution to: APPLICATION NO. 4

FROM CONTRACTOR: MCIC Construction LLC, 777 ARCHITECT: Danesbury Engineering
Barker Hill Road, Mayfield, NY 55 South Main Street
12117 Oneonta, NY 13820

CONTRACT FOR

PERIOD TO: ☐ OWNER ☐ ARCHITECT ☐ CONTRACTOR ☐ PROJECT END ☐ CONTRACT DATE: 1/28/21

CONTRACTOR'S APPLICATION FOR PAYMENT

Application is made for payment, as shown below, in connection with the Contract Continuation Sheet, AIA Document G703, is attached

SEE ATTACHED SWORN STATEMENT FROM CONTRACTOR TO OWNER

1. ORIGINAL CONTRACT SUM \$ 999,800.00
2. Net change by Change Orders \$ 26,000.00
3. CONTRACT SUM TO DATE (Line 1 + 2) \$ 1,025,800.00
4. TOTAL COMPLETED & STORED TO DATE (Column G on G703) \$ 634,173.00
5. RETAINAGE:
a. \$ % of Completed Work \$ 31,708.05
(Column D + E on G703)
b. \$ % of Stored Material \$ 0.00
(Column F on G703)
Total Retainage (Lines 5a + 5b or Total in Column I of G703) \$ 31,708.05
6. TOTAL EARNED LESS RETAINAGE (Line 4 Less Line 5 Total) \$ 994,091.95
7. LESS PREVIOUS CERTIFICATES FOR PAYMENT (Line 6 from prior Certificate) \$ 310,982.50
8. CURRENT PAYMENT DUE \$ 291,481.85
9. BALANCE TO FINISH INCLUDING RETAINAGE (Line 7 less Line 6) \$ 452,535.05

CHANGE ORDER SUMMARY	ADDITIONS	DEDUCTIONS
Total changes approved in previous months by Owner	\$26,000.00	
Total approved this Month		
TOTALS	\$26,000.00	0.00
NET CHANGES by Change Order	\$26,000.00	

The undersigned Contractor certifies that to the best of the Contractor's knowledge, information and belief the Work covered by this Application for Payment has been completed in accordance with the Contract Documents, that all amounts have been paid by the Contractor for Work for which previous Certificates for Payment were issued and payments received from the Owner, and that current payment shown herein is now due

CONTRACTOR: Danesbury Date: 8/19/2021
State of New York County of Fulton 2021
Subscribed and sworn to before me this 19 day of August
Notary Public My Commission expires 8/26/2022 J. A. Palmatier

ARCHITECT'S CERTIFICATE FOR PAYMENT

In accordance with the Contract Documents, based on on-site observations and the data comprising the application, the Architect certifies to the Owner that to the best of the Architect's knowledge, information and belief the Work has progressed as indicated, the quality of the Work is in accordance with the Contract Documents, and the Contractor is entitled to payment of the AMOUNT CERTIFIED.

AMOUNT CERTIFIED \$ 310,982.50

(Attach explanation of amount certified differs from the amount applied. Initial all figures on this Application and on the Continuation Sheet that are changed to conform with the amount certified.)

ARCHITECT: Paul B. Date: 8/19/2021

This Certificate is not negotiable. The AMOUNT CERTIFIED is payable only to the Contractor named herein. Issuance, payment and acceptance of payment are without prejudice to any rights of the Owner or Contractor under this Contract.

FOR ARCHITECT'S USE ONLY: I, Paul B., do hereby certify that the amount certified is correct.

JO A. PALMATIER
Notary Public, State of New York
Qualified in Fulton County
Reg. No. 01PA6078530
Commission Expires 8/26/2022

CONTINUATION SHEET

AIA Document G702, APPLICATION AND CERTIFICATION FOR PAYMENT, containing:

Contractor's signed certification as attached

In tabulations below, amounts are stated to the nearest dollar

Use Column 1 on Contracts where variable retainage for line items may apply

AIA DOCUMENT G702

Page of

APPLICATION NO

PERIOD TO

ARCHITECT'S PROJECT NO

1

2

3

4

08/18/21

08/17/21

A ITEM NO	B DESCRIPTION OF WORK	C CONTRACT VALUE	D WORK COMPLETED		F MATERIALS PRESENTLY STORED -NOT IN PROCESS	G TOTAL COMPLETED AND STORED TO DATE (D+E-F)	H BALANCE TO FINISH (C-G)	I RETAINAGE %
			FROM PREVIOUS APPLICATION (D-E)	THIS PERIOD				
1	Mobilization/Demobilization	\$45,000.00	\$18,000.00	\$4,500.00		\$22,500.00	\$22,500.00	50%
2	New EQ Tank and Building	\$300,000.00	\$175,000.00	\$100,000.00		\$275,000.00	\$25,000.00	92%
3	New Mechanical Fine Screen	\$190,000.00	\$9,500.00	\$0.00		\$9,500.00	\$180,500.00	5%
4	New EQ Tank Pumps and Aeration System	\$150,000.00	\$7,500.00	\$75,000.00		\$82,500.00	\$67,500.00	55%
5	Site Work and Yard Paving	\$65,000.00	\$50,000.00	\$5,000.00		\$55,000.00	\$10,000.00	85%
6	SBR Tank Grating and Railing	\$30,000.00	\$1,500.00	\$0.00		\$1,500.00	\$28,500.00	5%
7	NPW System in Filtration Building	\$67,000.00	\$3,350.00	\$0.00		\$3,350.00	\$63,650.00	5%
8	New UV System	\$150,000.00	\$6,500.00	\$118,000.00		\$124,500.00	\$25,500.00	96%
9	Modify Chemical Feed Skid	\$2,000.00	\$0.00	\$2,000.00		\$2,000.00	\$0.00	100%
10	Allowance 1 - Unforeseen Conditions	\$30,000.00	\$0.00	\$2,525.00		\$2,525.00	\$27,475.00	12%
11	Alternate 1 - Rock Excavation (0-10WCY)	\$50,000.00	\$50,000.00	\$0.00		\$50,000.00	\$0.00	100%
12	Alternate 2 - Rock Excavation (101-500CY)	\$0.00	\$0.00	\$0.00		\$0.00	\$0.00	
13			\$0.00	\$0.00		\$0.00	\$0.00	
14			\$0.00	\$0.00		\$0.00	\$0.00	
15			\$0.00	\$0.00		\$0.00	\$0.00	
16			\$0.00	\$0.00		\$0.00	\$0.00	
17			\$0.00	\$0.00		\$0.00	\$0.00	
18			\$0.00	\$0.00		\$0.00	\$0.00	
19			\$0.00	\$0.00		\$0.00	\$0.00	
20			\$0.00	\$0.00		\$0.00	\$0.00	
21			\$0.00	\$0.00		\$0.00	\$0.00	
22			\$0.00	\$0.00		\$0.00	\$0.00	
23			\$0.00	\$0.00		\$0.00	\$0.00	
24			\$0.00	\$0.00		\$0.00	\$0.00	
GRAND TOTALS		\$1,055,000.00	\$327,350.00	\$306,825.00	\$0.00	\$634,175.00	\$420,825.00	60.1%

BACKLOGGED WORK CONTINGENCY SHEET (B702) - TABULATION APP. 2.199

THE AMERICAN INSTITUTE OF ARCHITECTS, 1735 NEW YORK AVENUE, N.W., WASHINGTON, D.C. 20005-2700

G702-1992

For Contractor's Optional Use: See Instructions at www.dol.gov/whd/forms/wh347instr.htm

Persons are not required to respond to the collection of information unless it displays a current valid OMB control number

Name of Contactor MCJ CONSTRUCTION, LLC		ADDRESS: 777 BUNKER HILL ROAD MAYFIELD, NY 12117		OMB No. 1235-0008 Expires 02/28/18																	
FEIN 14-1835610		PROJECT AND LOCATION: Town of Duaneburg, Delanson WWTP 1376 Cole Road, Delanson, NY 12053		PROJECT OR CONTRACTOR NO. PRC NO. #2020009005																	
Name and Individual Identifying Number of Worker	No. of With- holdings	Work Classification	ST of	Day and Date							Rate of Pay	Gross Amount Earned	FICA	Fed With tax	Deductions			Net Wages Paid for week			
				M 6/28	T 6/29	W 6/30	TH 7/1	F 7/2	S 7/3	S 7/4					Total Hours	NYS tax	PFL SDI		Other	Total Deductions	
Garber, Christian 13 Tamarack Trl Saratoga Springs, NY 12866	S/O	Engineer	OT										77.94	968.64	74.11	172.36	53.37	5.22		305.06	663.58
Garber, Michael 17 Milton Heights Blvd Ballston Spa, NY 12020	S/O	Labor	Hol										60.54	0.00					0.00	0.00	
Puman, Ryan D 112 Little Rock Lane Broadalbin, NY 12025	S/O	Labor	HOL		0.5								77.94	2,460.57	188.22	400.35	124.08	13.16	246.06	971.87	1,488.70
Owens, Jonathon 229 Midline Rd Amsterdam, NY 12010	M/O	Labor	ST	8	8	8	8	8	8				60.54	2,460.57	188.24	271.61	141.38	13.17	614.40	1,846.17	
Sargalis, Jeffrey E 29 S. Shore Rd Northville, NY 12134	S/O	Manager	OT										62.50	2,500.00	191.25	466.79	145.77	13.38	817.19	1,682.81	
			ST	8	8	8	8	8	8				62.50								
			ST										0.00	0.00					0.00	0.00	
			ST										0.00	0.00					0.00	0.00	
			ST										0.00	0.00					0.00	0.00	

While completion of Form WH-347 is optional, it is mandatory for covered contractors and subcontractors performing work on Federally financed or assisted construction contracts to respond to the information collection contained in 29 C.F.R. 3.3, 5.5(e), the Copland Act5 (40 U.S.C. 3145) contractors and subcontractors performing work on Federally financed or assisted construction contracts to "furnish weekly a statement with respect to the wages paid each employee during the preceding week" U.S. Department of Labor (DOL) regulations at 29 C.F.R. 5.5(a)(3)(b) require contractors to submit weekly a copy of all payrolls to the Federal agency contracting to or financing the construction project, accompanied by a signed "Statement of Compliance" indicating that the payrolls are correct and that each laborer or mechanic has been paid not less than the proper Davis-Bacon prevailing wage rate for the work performed. DOL and federal contracting agencies receiving this information review the information to determine that employees have received legally required wages and fringe benefits.

Public Burden Statement

We estimate that it will take an average of 55 minutes to complete this collection, including time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. If you have any comments regarding these estimates or any other aspect of this collection, including suggestions for reducing this burden, send them to the Administrator, Wage and Hour Division, U.S. Department of Labor Room 33502, 200 Constitution Ave N.W., Washington, D.C. 20210

PAYROLL

For Contractor's Optional Use: See Instructions at www.dol.gov/whd/forms/wh347instr.htm



Persons are not required to respond to the collection of information unless it displays a current valid OMB control number

Name of Contactor MCJ CONSTRUCTION, LLC		ADDRESS: 777 BUNKER HILL ROAD MAYFIELD, NY 12117		OMB No. 1235-0008 Expires 02/28/18															
FEIN 14-1835610	For Week Ending 7/18/2021	PROJECT AND LOCATION: Town of Duaneburg, Delanson WWTP 1376 Cole Road, Delanson, NY 12053		PROJECT OR CONTRACTOR NO. PRC NO. #2020009005															
Name and Individual Identifying Number of Worker	No. of With- holdings	Work Classification	ST of	Day and Date							Gross Amount Earned	FICA	Fed WH tax	Deductions			Net Wages Paid for week		
				M	T	W	TH	F	S	S	Total Hours	Rate of Pay							
Garber, Christian 13 Tamarack Trl Saratoga Springs, NY 12866	S/O	Engineer	OT	7/12	7/13	7/14	7/15	7/16	7/17	7/18	0	77.94	0						
			Hol								0	60.54	0					0.00	
			ST								0	60.54	0					0.00	
Garber, Michael 17 Milton Heights Blvd Ballston Spa, NY 12020	S/O	Labor	Hol								0	77.94	0					0.00	
			ST								0	60.54	0					0.00	
Putman, Ryan D 112 Little Rock Lane Broadalbin, NY 12025	S/O	Labor	OT	1.5							1.5	77.94	0						
			HOL								0	60.54	0						
			ST	8	8	8	8	8			40	60.54	0					1,393.50	
Owens, Jonathon 229 Midline Rd Amsterdam, NY 12010	M/O	Labor	OT	1.5							1.5	77.94	0						
			Hol								0	60.54	0						
			ST	8	8	1	8	8			33	60.54	0					1,592.37	
Sargalis, Jeffrey E 29 S. Shore Rd Northville, NY 12134	S/O	Manager	OT								0	62.50	0						
			HOL								0	62.50	0						
			ST	5	8	8	8	8			37	62.50	0					1,556.59	
			ST								0		0					0.00	
			ST								0		0					0.00	
			ST								0		0					0.00	

While completion of Form WH-347 is optional, it is mandatory for covered contractors and subcontractors performing work on Federally financed or assisted construction contracts to respond to the information collection contained in 29 C.F.R. 3.3, 5.5(e), the Copland Act5 (40 U.S.C. 3145) contractors and subcontractors performing work on Federally financed or assisted construction contracts to "furnish weekly a statement with respect to the wages paid each employee during the preceding week" U.S. Department of Labor (DOL) regulations at 29 C.F.R. 5.5(a)(3)(ii) require contractors to submit weekly a copy of all payrolls to the Federal agency contracting to or financing the construction period, accompanied by a signed "Statement of Compliance" indicating that the payrolls are correct and that each laborer or mechanic has been paid not less than the proper Davis-Bacon prevailing wage rate for the work performed. DOL and federal contracting agencies receiving this information review the information to determine that employees have received legally required wages and fringe benefits.

Public Burden Statement

We estimate that it will take an average of 55 minutes to complete this collection, including time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. If you have any comments regarding these estimates or any other aspect of this collection, including suggestions for reducing this burden, send them to the Administrator, Wage and Hour Division, U.S. Department of Labor Room S3502, 200 Constitution Ave N.W. Washington, D.C. 20210

Certified Payroll Report

Contractor				JDR MASONRY LLC 11 BITTERSWEET LANE CLIFTON PARK, NY 12065				Project				MCJ Construction, LLC 777 Bunker Hill Road Mayfield, NY 12117				Project/Contract # Payroll Number For Week Ending				1 7/17/2021											
Employee Name	ID	Work Classification	Pay Type	Hours Worked by Day							Sun 11	Mon 12	Tue 13	Wed 14	Thu 15	Fri 16	Sat 17	Timesheet Hours	Paid Hours	Rate	Pay	Job Gross Pay	Fringe Rate	Check Number	Gross Pay	Total Social Security	Medicare	Federal Tax	State Tax	Total Other Deduct	Net Pay
				11	12	13	14	15	16	17																					
Andre G DesJardins	8815	Mason	RT			8.00	8.00	8.00	4.00								28.00	28.00	38.69	1,083.32	1,083.32	1.28	DD1253	1,083.32	67.16	15.70	94.00	51.84	136.34	364.84	718.48
Brandon G DesJardins	2450	mason	RT		8.00	8.00	8.00	8.00	8.00								40.00	40.00	38.69	1,547.60	1,547.60	1.28	DD1254	1,547.60	95.95	22.45	150.00	79.91	194.51	542.82	1,004.78
David M Ciraulo	4341	Laborer	RT		4.00	8.00	8.00	8.00	4.50								32.50	32.50	32.79	1,065.68	1,065.68	1.08	DD1255	1,065.68	66.07	15.46	136.00	51.21	728.26	997.00	68.68
Michael S Bordeaux	3754	Mason	RT			8.00	7.50	8.00									23.50	23.50	38.69	909.22	909.22	1.28	DD1256	1,489.57	92.35	21.60	93.00	70.52	-5.26	272.21	1,217.36
Randy Visscher	3335	Mason	RT			8.00	8.00	8.00	8.00								32.00	32.00	38.69	1,238.08	1,238.08	1.28	DD1257	1,238.08	76.77	17.96	113.00	61.06	155.73	424.52	813.56
Stacy L Bordeaux	8403	Mason	RT			8.00	8.00	8.00									24.00	24.00	38.69	928.56	928.56	1.28	DD1258	1,238.08	76.76	17.96	103.00	59.89	155.73	413.34	824.74

I, Donna Richardson, Owner, do hereby state:

THE WILLFUL FALSIFICATION OF ANY OF THE ABOVE STATEMENTS MAY SUBJECT THE CONTRACTOR OR SUBCONTRACTOR TO CIVIL OR CRIMINAL PROSECUTION SEE SECTION 1001 OF TITLE 18 AND SECTION 231 OF TITLE 31 OF THE UNITED STATES CODE.

[illegible]

While completion of Form WH-347 is optional, it is mandatory for covered contractors performing work on Federally financed or assisted construction contracts to respond to the information collection contained in 29 C.F.R. 3.3, 5.5(a), the Copland Act (40 U.S.C. 3145) contractors and subcontractors performing work on Federally financed or assisted construction contracts to "furnish weekly a statement with respect to the wages paid each employee during the preceding week" U.S. Department of Labor (DOL) regulations at 29 C.F.R. 5.5(a)(3)(ii) require contractors to submit weekly a copy of all payrolls to the Federal agency contracting for or financing the construction period, accompanied by a signed "Statement of Compliance" indicating that the payrolls are correct and that each laborer or mechanic has been paid not less than the proper Davis-Bacon prevailing wage rate for the work performed. DOL and federal contracting agencies receiving this information require that employees have received locally required wages and fringe benefits.

Public Burden Statement

We estimate that it will take an average of 55 minutes to complete this collection, including time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. If you have comments regarding these estimates or any other aspect of this collection, including suggestions for reducing this burden, send them to the Administrator, Wage and Hour Division, U.S. Department of Labor Room S3502, 200 Constitution Ave N.W., Washington, D.C. 20210

For Contractor's Optional Use: See Instructions at www.dol.gov/whd/forms/wh347instr.htm

U.S. Wage and Hour Division

Rev. Dec. 08

Persons are not required to respond to the collection of information unless it displays a current valid OMB control number

Name of Contactor MCJ CONSTRUCTION, LLC		ADDRESS: 777 BUNKER HILL ROAD MAYFIELD, NY 12117		OMB No. 1235-0008 Expires 02/29/18								
FEIN 14-1835610		PROJECT AND LOCATION: Town of Duaneburg, Delanson WWTP 1376 Cole Road, Delanson, NY 12053		PROJECT OR CONTRACTOR NO. PRC NO. #2020009005								
Name and Individual Identifying Number of Worker	No. of With- holdings	For Week Ending 8/15/2021	Work Classification	ST of	Day and Date	Total Hours	Rate of Pay	Gross Amount Earned	FICA	Fed WH tax	Deductions	Net Wages Paid for week
Garber, Christian 13 Tamarack Trl Saratoga Springs, NY 12866	S/O		Engineer	OT	M 8/9		77.94					
				Hol	T 8/10		60.54					
				ST	W 8/11		60.54					0.00
Garber, Michael 17 Milton Heights Blvd Ballston Spa, NY 12020	S/O		Labor	Hol	TH 8/12		77.94					
				ST	F 8/13		60.54					0.00
Putman, Ryan D 112 Little Rock Lane Broadalbin, NY 12025	S/O		Labor	OT	8/9		77.94					
				HOL	8/10		60.54					
				ST	8/11		60.54					0.00
Owens, Jonathon 229 Midline Rd Amsterdam, NY 12010	M/O		Labor	Hol	8/12		77.94					
				ST	8/13		60.54					598.41
				ST	8/14		60.54					
Sargalis, Jeffrey E 29 S. Shore Rd Northville, NY 12134	S/O		Manager	OT	8/15		65.00					
				HOL	8/16		65.00					1,756.06
				ST	8/17		65.00					
				ST	8/18		65.00					0.00
				ST	8/19		65.00					0.00

While completion of Form WH-347 is optional, it is mandatory for covered contractors and subcontractors performing work on Federally financed or assisted construction contracts to respond to the information collection contained in 29 C.F.R. 3.3, 5.5(c), the Copeland Act's (40 U.S.C. 3145) contractors and subcontractors performing work on Federally financed or assisted construction contracts to "furnish weekly a statement with respect to the wages paid each employee during the preceding week" U.S. Department of Labor (DOL) regulations at 29 C.F.R. 5.5(a)(3)(i) require contractors to submit weekly a copy of all payrolls to the Federal agency contracting to or financing the construction project, accompanied by a signed "Statement of Compliance" indicating that the payrolls are correct and that each laborer, or mechanic has been paid not less than the proper Davis-Bacon prevailing wage rate for the work performed. DOL and federal contracting agencies receiving this information review the information to determine that employees have received legally required wages and fringe benefits.

Public Burden Statement

We estimate that it will take an average of 55 minutes to complete this collection, including time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. If you have any comments regarding these estimates or any other aspect of this collection, including suggestions for reducing this burden, send them to the Administrator, Wage and Hour Division, U.S. Department of Labor Room S3502, 200 Constitution Ave N.W., Washington, D.C. 20210

Delaware Engineering, D.P.C.

TOWN OF DUANESBURG TOWN BOARD

RESOLUTION # OF 2021

RESOLUTION REGARDING CENTRALIZED ARRAIGNMENTS

WHEREAS, Schenectady County is submitting a plan for counsel at initial appearance coverage for arraignments in local courts; and

WHEREAS, the plan provides for a central arraignment part conducted twice a day at the Schenectady County jail rather than at the town or village location of the arrest; and


WHEREAS, this plan requires the cooperation of the various local town and village justices; and

WHEREAS, this plan should assure consistency in representation as well as in the afterhours schedules of the various town and village justices; and

WHEREAS, this program will promote efficiencies among the town and village justices as well as county operations providing for mutual cooperation of the County's municipalities; now therefore be it

RESOLVED, that the Town of Duanesburg hereby indicates its support for the County's plan for counsel at initial appearance coverage for arraignments in local courts.

By (unanimous/majority) vote of the Town Board of the Town of Duanesburg at its regular meeting on August 26, 2021.


Roger Tidball, Supervisor


Jennifer Howe, Town Clerk

Present: ALL
Absent:

Council Members:

Roger Tidball	<u>Yea</u>	Nay	Abstain
John Ganther	<u>Yea</u>	Nay	Abstain
Rick Potter	<u>Yea</u>	Nay	Abstain
William Wenzel	<u>Yea</u>	Nay	Abstain
Jeff Senecal	<u>Yea</u>	Nay	Abstain

I submit the following statement to the board;

During the Covid crisis last year Schenectady County adopted a centralized arraignment process for all courts in the county in order to abide by Covid restrictions. This proved to be a very successful process and the county has decided to establish a central arraignment court located at the county jail. This project requires the cooperation of the various local town and village justices. I support this new process but the county needs the approval of Chief Administrative Judge Marks. The county feels that a show of support from all the local town and village boards will be helpful in getting this approval. This resolution will show that support. I appreciate the boards consideration of this resolution and encourage you to support it.

Regards,

Judge Wren

Jennifer Howe

From: Susan Biggs <azurevista@hotmail.com>
Sent: Thursday, August 26, 2021 1:01 PM
To: Jennifer Howe
Cc: Bill Wenzel
Subject: Privilege of the Floor August 26 Town Board Meeting
Attachments: 117 Darby Hill Road Fire IMG_0536.jpg; 117 Darby Hill Road Fire IMG_0545.jpg; 117 Darby Hill Road Fire IMG_0546.jpg; 117 Darby Hill Road Fire IMG_0550.jpg

August 26, 2021

Dear Supervisor Tidball and the Town Board,

Please read my comments concerning the public hearing of draft solar facilities law, Local Law 1 of 2021. Please include this letter in the official record of tonight's planning board meeting minutes as posted on the town website.

Susan Biggs
13388 Duaneburg Road, Delanson NY 12053

Please see the attached four images in color taken in August 2021 to document the current conditions of 117 Darby Hill Road. The home burned down 18 months ago, the owners abandoned the parcel and left the clean-up costs to be paid by our tax dollars. The debris is blocking the sidewalk and the weeds are more than three feet tall. It is likely that the hazardous and toxic property conditions have diminished the surrounding neighbor's property values. The site is an eyesore to all, a health hazard to the neighbors and a drain on the taxpayers.

What is the timeline for the cleanup of the 117 Darby Hill Road fire debris?
What has the town paid in legal fees, lead testing, asbestos testing and for the projected demolition?
When will the parcel go to auction and what revenue do you anticipate from the sale?

This property should serve as a cautionary tale to the town and taxpayers as to why Oak Hill Solar must be carefully, thoughtfully and comprehensively reviewed. Our town is not affluent or rich. We cannot afford to clean up one orphaned burned down building. If Oak Hill Solar's combined \$422,000 decommissioning fund is not available or insufficient, can our town afford to pay for an abandoned 65 acre solar array plus four 53' containers of lithium-ion batteries? How is the decommissioning fund supplied? Will the money be there if the town needs it? If there is a catastrophic battery explosion harming first responders, passerby or neighbors can the town absorb any possible legal costs?

I am sorry that it seems you have been bamboozled by Eden Renewables and I am sorry that the hired town engineer did not fully report the errors, omissions and misrepresentations found throughout their application in 2019.

Now is the time for action.

The Planning Board's vote on the Oak Hill Amendment to add lithium-ion batteries will set precedent.

Please consider the hazards that accompany lithium batteries. Explosions, fires and toxic fumes may require evacuation of residents for miles surrounding the Project site. Do you want lithium batteries in your backyard? How will battery storage impact future development of abutting parcels?


I do not believe this is what the citizens of Duaneburg want. I urge all citizens to submit comments and concerns to the town clerk, jhowe@duaneburg.net, for distribution to the town and planning boards. I request that the Town Board deny the Oak Hill Solar Amendment and save our community from future tax liabilities.


I request that Planning and Zoning Board meetings, including the September 9, 2021 Planning Board Workshop are broadcast on zoom and that the application documents be posted on the town website. The more eyes on a project the better the project will be for the entire community.

Thank you for your service to our town.


Respectfully,
Susan Biggs
azurevista@hotmail.com

Sent from Outlook









PO Box 160
Quaker Street, NY 12141

Roger Tidball, Supervisor Town of Duanesburg
Town Board
5853 Western Turnpike
Duanesburg, NY 12056

Transmitted via email: jhowe@duanesburg.net, mdeffer@duanesburg.net

August 26, 2021

Re: Privilege of the Floor-Town Board Oak Hill Solar 1, LLC and Oak Hill Solar 2, LLC

Dear Supervisor Tidball and the Town Board,

Please include this letter in the official record of tonight's planning board meeting minutes as posted on the town website.

I request that all planning and zoning board meetings and workshops are held in person and also on zoom. I request that Oak Hill Solar application and Amendment application be posted on the town website or in a drop box. This will close loopholes on potential sources of impropriety and provide the taxpayers with transparency and accountability into the town's actions.

At the August 15, 2021 Planning Board Public Hearing for the Amendment to the Oak Hill Solar Special Use Permit the Applicant read the distance of the Murray's home to the nearest battery storage container. I asked how far the Biggs home was from the nearest battery storage container. Neither Amp, Eden or GreenCells provided an answer to my question. In fact Amp's representative asked me where is the Biggs' home? GreenCells stated that it's not on the drawings.

Eden Renewables omitted the nearest residence to Oak Hill Solar beginning May 2018 or before. March 2019 Eden's engineer incorrectly documented that the nearest residence was 1,600 feet away. Three years later this misleading information continues to deprive Mrs. Biggs, whose residence is less than 650 feet from the array fence, of the consideration she deserves.

What are the dangers of being 500 feet, 1000 feet, 1,500 feet and 2,000 feet from the lithium-ion battery storage containers?

If there is an explosion and/or fire what would be the evacuation perimeter needed to protect the residents from toxic gases and fumes?

How would residents be notified of a possible evacuation? How quickly can that happen?

Mrs. Biggs safety from toxic lithium-ion batteries, the protection of her lands from increased toxic stormwater runoff and the protection of her property value from this industrial Project is not considered by Eden, Amp or GreenCells.

The Town is unable to protect the taxpayers if the Applicant hasn't, or won't, submit accurate factual documents in a manner that can be thoughtfully reviewed and examined. Three years into the application process and Oak Hill Solar still does not identify the nearest residence. What else is the Applicant omitting?

Please see the attached rendering first provided by Eden to the planning board in 2018. The pink text provides corrections to the original documents misrepresentations.

Due to Oak Hill's persistent and pervasive errors, omissions and misrepresentations I request that Amp Solar's request to extend Oak Hill Solar Special Use Permit be denied.

Thank you for your time and consideration.

Respectfully,
Lynne Bruning
720-272-0956
lynnebruning@gmail.com

Cc: Jeffery Schmitt, Planning Board Chair and the Planning Board

LEGEND: ERRORS AND OMISSIONS



EDEN RENEWABLES


Elimination
Battery Storage

13590 Duaneburg Road, Delanson, NY 12053

OAK HILL SOLAR FARMS NEW YORK

EDUCATIONAL BENEFITS

We organise trips to the solar farm so children from local schools can learn about science, technology and energy generation.



SECURITY


Traditional rural fencing and discreet CCTV cameras will be used around the perimeter of the site to maintain security. Fence does not meet NYSERDA recommendation of 7 foot chain link



WILDFLOWER MEADOWS

The land around and beneath the solar panels will be sown with native wildflowers and grasses to support habitats for bees and other pollinators.


Site Plan seeding detail calls for 100% grass



EXISTING TREES

The site is surrounded by mature trees and forestry, which screens it effectively from public view as well as providing important wildlife habitats.

Majority of existing trees are deciduous and on abutting parcels



BEEHIVES

Beehives on the solar farm will provide pollination services to support local farmers and agriculture.



BIRD AND BAT BOXES


These will be located around the perimeter of the site to encourage bats to roost and birds to nest.



SHEEP GRAZING

The land around the solar panels will be maintained where economically feasible by sheep grazing in autumn, after the meadows have seeded, to keep land in food production.

Tracker panels include above ground wiring. Sheep may be problematic to the motors and electronics. Vegetation maintenance may require chemical herbicides.



SOLAR PANELS

The panel arrays are single axis trackers and will generate enough clean power for the equivalent of over 1,225 homes. Panels have been changed to two modules stacked in portrait orientation. Height is now 14.5 Feet.

Rt. 7

Youngs Road

600 Feet from Biggs home to solar array fence and 1,200 feet to the nearest battery storage container

1,200 feet

33 yard setback

Solar Panel Arrays

Fence

Property Line

New Road

Oak Hill 2

Oak Hill 1

Gross Footpaths

Tree clearing during SEQR

Site connection to grid station

4 - 6 Utility Poles

House Explosion

Site Access

